

EVoline® FlipTop Push



UL listed and tested to meet UL 962A with 1 – 8 socket outlets.
Electrical codes vary by location. Please check with your electrician
to verify that this unit meets your local code before installing.











A touch of a finger is sufficient.

EVoline® FlipTop *Push*

The FlipTop Push is an elegant solution supplying all work areas with power, data and multimedia.

Interchangeable modules for data and multimedia ensure unlimited flexibility for future requirements at the workspace.



Description	Picture	Specifications	Order Number
EVoline FlipTop Push Standard 2x UL socket, NEMA 5-15, with tamper-restistance, 2x USB-Charger 1A 6 ft cord with UL plug. Cable lengths described from module inside the profile to the end of the cable.		Cover brushed stainless steel	1593 7011 5800
Configurable Basic Housing EVoline FlipTop Push S For 3 modules Housing made of black anodised aluminium, Installation dimensions: 157 x 195 mm (6 3/16" x 7 43/64")		Cover brushed stainless steel black powder-coated white powder-coated grey powder-coated	9331 8010 0000 9331 9360 0000 9331 9630 0000 9331 9670 0000
Configurable Basic Housing EVoline FlipTop Push M For 4 modules Housing made of black anodised aluminium, Incl. WireLane Adaptor Installation dimensions: 157 x 245 mm (6 3/16" x 9 41/64")		Cover brushed stainless steel black powder-coated white powder-coated grey powder-coated	9331 8020 0000 9331 9370 0000 9331 9640 0000 9331 9680 0000
Configurable Basic Housing EVoline FlipTop Push L For 5 modules Housing made of black anodised aluminium, Incl. WireLane Adaptor Installation dimensions: 157 x 295 mm (6 3/16" x 11 39/64")		Cover brushed stainless steel black powder-coated white powder-coated grey powder-coated	9331 8030 0000 9331 9380 0000 9331 9650 0000 9331 9690 0000
Configurable Basic Housing EVoline FlipTop Push XL For 6 Modules Housing made of black anodised aluminium, Incl. WireLane Adaptor Installation dimensions: 157 x 345 mm (6 3/16" x 13 37/64")		Cover brushed stainless steel black powder-coated white powder-coated grey powder-coated	9331 8040 0000 9331 9390 0000 9331 9660 0000 9331 9700 0000
Configurable Basic Housing EVoline FlipTop Push white For 3-6 Modules Housing made of white powder-coated aluminium, cover white powder-coated, Incl. WireLane Adaptor		S M L XL	9332 3980 0000 9332 3990 0000 9332 4000 0000 9332 4010 0000



EVoline® Made in Germany



Schulte Elektrotechnik GmbH & Co. KG

Jüngerstraße 21
D - 58515 Lüdenscheid
Germany

Telefon +49 23 51 / 94 81 - 0
Fax +49 23 51 / 4 26 58
e-mail info@schulte.com
Internet www.evoline.com

Schulte Electro Systems Corporation

41W020 Seavey Road
Sugar Grove, IL 60554-9573
USA

phone +1 630-409-9445
e-mail sales@evoline-usa.com
Internet www.evoline-usa.com

schulte
elektrotechnik

invented and made by
Schulte Elektrotechnik,
Lüdenscheid, Germany

