

EVoline[®] Square80





UL listed and tested to meet UL 1363. Electrical codes vary by location. Please check with your electrician to verify that this unit meets your local code before installing.




EVoline® Square80

EVoline Square80 fits into standard openings that are pre-made with a diameter of 80 mm (3 5/32"). It provides a power socket, a USB charger, and a data connection.

In its Qi version EVoline Square80 offers an additional wireless charging surface integrated into the cover, for charging of Qi capable mobile phones.



Description	Picture	Specifications	Order Number
EVoline Square80 For surface thickness up to 50 mm (1 31/32"). Mounting hole ø 80 mm (3 5/32"). Configuration: 1x NEMA 5 – 15R, 15 A Receptacle with tamper resistance 1x USB Charger Type A, Output voltage: 5V _{DC} Rated output current: 1A, Fixed supply cable 6 ft with angled plug.	 	Cover and housing black CAT 6 Socket 3 m (9 ft) cable and plug 3 m (9 ft) pull out CAT 6 patch cable without data	1592 7002 0100 1592 7002 0200 1592 7002 0300
EVoline Square80 with Wireless Charger For surface thickness up to 50 mm (1 31/32"). Mounting hole ø 80 mm (3 5/32"). Configuration: 1x NEMA 5 – 15R, 15 A Receptacle with tamper resistance 1x USB Charger Type A, Output voltage: 5V _{DC} Rated output current: 1A, Fixed supply cable 6 ft with angled plug.	 	Cover and housing black 3 m (9 ft) cable and plug CAT 6 Socket 3 m (9 ft) pull out CAT 6 patch cable without data Cover in simulated stainless steel housing in black 3 m (9 ft) cable and plug CAT 6 Socket 3 m (9 ft) pull out CAT 6 patch cable without data	1592 7002 0700 1592 7002 0800 1592 7002 0900 1592 7002 0400 1592 7002 0500 1592 7002 0600 1592 7002 1000 1592 7002 1100 1592 7000 1200



Wireless charging

- resonant wireless coupling between transmitter (charging station) and receiver (mobile phone)
- vendor independent, charges any Qi compatible device
- transmitter coil is active only when a connection to the receiving device is made



EVoline® Made in Germany



Schulte Elektrotechnik GmbH & Co. KG

Jüngerstraße 21
D - 58515 Lüdenscheid
Germany

Telefon +49 23 51 / 94 81 - 0
Fax +49 23 51 / 4 26 58
e-mail info@schulte.com
Internet www.evoline.com

Schulte Electro Systems Corporation

41W020 Seavey Road
Sugar Grove, IL 60554-9573
USA

phone +1 630-409-9445
e-mail sales@evoline-usa.com
Internet www.evoline-usa.com



invented and made by
Schulte Elektrotechnik,
Lüdenscheid, Germany

